EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	33	(PC or computer or client) near10 (media adj printer) near5 (network or TCP/IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L2	1	(PC or computer or client) near10 (media adj printer) near5 (TCP or IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L3	0	(PC or computer or client) with (TCP or IP) near4 (print adj media)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L4	1	(PC or computer or client) with (TCP or IP) near4 (media adj print$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L5	47	(PC or computer or client) near10 printer near5 (address or TCP) near4 (medium or media)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L6	38	(PC or computer or client) same (address or TCP/IP) near5 (medium or media) near4 printer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L7	103	(PC or computer or client) same (address or TCP/IP) near5 printer with (medium or media)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10

L8	5	(PC or computer or client) same (address or TCP/IP) same (print adj job) same indicator$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L9	25	(print adj client) near5 (medium or media)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L10	1	(media adj printer) near5 (network or TCP/IP or address) near4 (identifier$1 or indicator$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L11	261	job$1 near5 printer near4 (TCP/IP or address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L12	214	printer near5 ((portable or removable) adj memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L13	328	printer near5 (software or hardware) near4 updat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L14	3	printer near5 (software or hardware) near4 updat$3 near4 operation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L15	3	printer near5 software near4 updat$3 near4 operation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L16	6	printer near5 updat$3 near4 (operation adj panel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10

L17	179	printer near5 updat$3 near4 client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L18	16	printer near5 updat$3 near4 client near3 software	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L19	293	printer near5 (network or TCP/IP or address) near4 (identifier$1 or indicator$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L20	312	printer near5 (network or TCP/IP or address) same (identifier$1 or indicator$1) same (name or directory or queue)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L21	354	(PC or computer or client) near10 (media adj printer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L22	37	(PC or computer or client) with (network or TCP/IP) near10 (media adj printer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L23	33	(PC or computer or client) near10 (media adj printer) near5 (network or TCP/IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L24	1	(PC or computer or client) near10 (media adj printer) near5 (TCP or IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L25	0	(PC or computer or client) with (TCP or IP) near4 (print adj media)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10

L26	1	(PC or computer or client) with (TCP or IP) near4 (media adj print$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L27	47	(PC or computer or client) near10 printer near5 (address or TCP) near4 (medium or media)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L28	38	(PC or computer or client) same (address or TCP/IP) near5 (medium or media) near4 printer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L29	1387	((Richard) near3 (Edwards)).INV.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L30	14	((Peter) near2 (Botten)).INV.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L31	14109	(358/1.15).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L32	203	L31 and (L11 or L12 or L21 or L29)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L33	8403	(358/1.13,1.14,1.18).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L34	63	L33 and (L21 or L13 or L29)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10

L35	0	(395/114).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L36	0	(PC or computer or client) near10 (print adj job) same (print adj indicator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L37	2	("5467434").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L38	455	(user adj profile$1) same print $3 same (selection media parameter$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L39	9	(user adj profile$1) same print $3 same (select$3 media parameter$1) same (user adj ID or client adj ID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L40	463	(user adj profile$1) same (print$3 MFP multi-function $3) same (selection media parameter$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L41	2	(user adj profile$1) same (print$3 MFP multi-function $3) same (media adj select$3) same parameter$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L42	2	(user adj profile$1) same print $3 same (media adj select$3) same parameter$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L43	0	(user adj profile$1) same print $3 same (media adj select$3) same indicat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10

L44	5	(user adj profile$1) same print $3 same (media adj select$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L45	82	(user adj profile$1) same print $3 same (selection select$3) same (media parameter$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L46	506	(user adj profile$1) same print $3 same (selection select$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L47	2	(user adj profile$1) same (print$3 adj client) same (selection or select$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L48	0	(user adj profile$1) same (print$3 adj client) same (protocol or TCP/IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L49	0	(user adj profile$1) same (print$3 adj client) same indicator$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L50	0	(user adj profile$1) same (media adj setting$1) same print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L51	3	((user adj profile$1) or client $1) same (media adj setting $1) same print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L52	0	("5081595").pn. and client and indicator and (user adj ID) and select$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10

L53	2	("5081595").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L54	0	("6559971").pn. and client and indicator and (user adj ID) and select$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L55	2	("6559971").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L56	1	10/719745	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L57	1	81174-300202	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L58	52	(Edwards-Richard-M$ Gilbert-Alan-J$ Keefe-Gary-W$ Botten-Peter-O$).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L59	1	("6731393").pn. and client and indicator and (user adj ID) and select$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L60	2	"6657742".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L61	5	(Edwards-Richard-M$ Gilbert-Alan-J$ Keefe-Gary-W Botten-Peter-O$).in. and print$3 and client and indicat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10

L62	0	("4721058" "5845259" "6097497" "6185541" "6354630" "6450634" "6585341" "5854693" "5828466").pn. and client and indicat$3 and (user adj ID) and (select$3 same (media medium))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L63	18	("4721058" "5845259" "6097497" "6185541" "6354630" "6450634" "6585341" "5854693" "5828466").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L64	5	(user adj profile$1) same print $3 same select$3 with (media parameter$1 medium) same (compar$3 determin$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L65	0	("5872899" "4914455" "5467434" "5600762" "5619649" "5644685").pn. and L64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L66	12	("5872899" "4914455" "5467434" "5600762" "5619649" "5644685").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:10
L67	16564	(358/1.12,1.15,1.18).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:17
L68	239	67 and (20 or 21 or 38 or 40 or 46)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:18
L69	7872	multi$media same print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:26

L70	441	multi$media same print$3 same (select$3 compar$3 determin$3) same (network client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:28
L71	196	multi$media same print$3 same (select$3 compar$3 determin$3 indicat$3) same (parameter$1 attribute$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:29
L72	37	multi$media same print$3 same (select$3 compar$3 determin$3 indicat$3) same (parameter$1 attribute$1) same profile$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 12:30
L73	517	multi$media same (print$3 printer) same (select$3 compar$3 determin$3) same (network client ID identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 13:09
L74	29871	(print adj job) same (print client indicator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 13:18
L75	847	(print adj job) same (print client indicator) same (TCP IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 13:19
L76	69	(print adj job) same (print client indicator) same (TCP IP) same (attribute$1 parameter $1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 13:20
L77	73	(print adj job) same (print client indicator) same (TCP IP) same (attribute$1 parameter $1 profile$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 13:48
L78	0	(multi$media adj print$3) same (select$3 compar$3 determin$3 indicat$3) same (parameter$1 attribute$1) same profile$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 13:56

L79	0	(multi$media adj print$3) same (parameter$1 attribute $1) same profile$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 13:57
L80	13	(multi$media adj print$3) same profile$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 13:57
L81	0	(multi$media adj print$3) near10 profile$1 near5 extract $3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 14:05
L82	0	(multi$media adj print$3) same profile$1 same extract $3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 14:06
L83	0	(multi$media adj print$3) same (job data image) same profile$1 same extract$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 14:06
L84	45	(multi$media adj print$3 (image adj forming)) same (job data image) same profile $1 same extract$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 14:07
L85	124	(multi$media adj print$3 (image adj forming)) same (extract$3 compar$3 determin $3 identif$3) same (profile$1 client PC workstation) same (attribute$1 ID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 14:43
L86	3	(print adj client adj indicator) same print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 15:41
L87	4	("6559971" "20030160979"). pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 15:56

L88	10	("20030011801" "6552813" "7151611" "6912061" "6618563").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 16:03
L89	75310	(((stock media paper supply) near3 (varied various different plural$3 vary$3 type$1 kind $1)) same (mfp multifunctional print$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 16:32
L90	2	89 and 86	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/13 16:33

9/13/2010 4:38:01 PM
C:\ Documents and Settings\ anguyen3\ My Documents\ EAST\ Workspaces\ 10719871.wsp